

Global scorecard of iodine nutrition in 2023

in the general population based on school-age children (SAC)¹

Based on the most recent available median urinary iodine concentration (UIC) data from 194 WHO Member States plus Liechtenstein and Palestine. Countries in which the most recent available survey is older than 15 years (i.e., conducted prior to 2007), are marked with an asterisk (*).

Abbreviations: SAC, School-age children; WRA, Women of reproductive age; NPNLW, Non-pregnant, non-lactating women; P, Date published; N, Nationally-representative survey; S, Sub-national survey (all administrative levels).

Country or territory	Median UIC ($\mu\text{g/L}$)	Date of survey	Data type	Population surveyed	Iodine intake ^{2,3}	References
Afghanistan	171	2013	N	SAC (7-12)	Adequate	(1)
Albania	136	2021	N	SAC (6-12)	Adequate	(2)
Algeria	253	2017	S	WRA	Adequate	(3)
Andorra	-	-	-	-	-	-
Angola	108	2019	N	WRA (15-49)	Adequate	(4, 5)
Antigua and Barbuda	174	2018	N	SAC	Adequate	(6)
Argentina	117	2011-12	S	SAC	Adequate	(7)
Armenia	242	2016	N	SAC (10-12)	Adequate	(8, 9)
Australia	175	2011-12	N	SAC (5-11)	Adequate	(10)
Austria	111	2012	N	SAC (7-14)	Adequate	(11)
Azerbaijan	135	2009	N	SAC	Adequate	(12)
Bahamas	-	-	-	-	-	-
Bahrain	247	2012-13	N	SAC (6-12)	Adequate	(13)
Bangladesh	146	2011-12	N	SAC (6-12)	Adequate	(14)
Barbados	210	2018	N	SAC	Adequate	(6) (15)
Belarus	191	2018	N	SAC (9-13)	Adequate	(16)
Belgium	94	2018	N	Adults (>18)	Adequate	(17)
Belize	285	2018	N	SAC	Adequate	(6, 15)
Benin	318	2011	N	SAC (6-12)	Excessive	(18, 19)
Bhutan	183	2010	N	SAC (6-11)	Adequate	(20)
Bolivia*	191	2005	N	SAC	Adequate	(21)
Bosnia and Herzegovina*	157	2005-06	N	SAC (7-10)	Adequate	(22)
Botswana*	287	1994	N	SAC	Adequate	(23)
Brazil	277	2008-14	N	SAC (6-14)	Adequate	(24)
Brunei Darussalam	-	-	-	-	-	-
Bulgaria	182	2008	N	SAC (6-10)	Adequate	(25, 26)
Burkina Faso	99	2014	N	SAC	Insufficient	(27)
Burundi	86	2018	N	WRA (15-49)	Insufficient	(28)
Cambodia	63	2014	N	WRA (15-49)	Insufficient	(29, 30)
Cameroon	>300	2014, 2017, 2018	S	SAC	Excessive	(31)
Canada	182	2016-17	N	SAC (6-11)	Adequate	(32, 33)
Cape Verde	115	2010	N	SAC (6-12)	Adequate	(34)

Country or territory	Median UIC ($\mu\text{g}/\text{L}$)	Date of survey	Data type	Population surveyed	Iodine intake _{2,3}	References
Central African Republic*	21	1993	S	All	Insufficient	(35)
Chad*	213	2003	N	SAC (6–12)	Adequate	(36)
Chile	201	2017	N	Adults (15-98)	Adequate	(37)
China	217	2021	N	SAC (8-10)	Adequate	(38)
Colombia	407	2015-16	N	SAC (5-12)	Excessive	(39)
Comoros	-	-	-	-	-	-
Congo	-	-	-	-	-	-
Congo, Democratic Republic of the	249	2007	N	SAC (6-12)	Adequate	(40)
Cook Islands	-	-	-	-	-	-
Costa Rica	314	2008-09	N	SAC (7-12)	Excessive	(41)
Cote d'Ivoire*	203	2004	N	SAC (6-12)	Adequate	(42)
Croatia	248	2009	N	SAC (7-10)	Adequate	(43)
Cuba	176	2011-12	N	SAC (6-11)	Adequate	(44)
Cyprus*	140	2003	S	SAC (6-10)	Adequate	(45)
Czechia	248	2016	N	SAC (5-9)	Adequate	(46)
Denmark	145	2015	S	SAC	Adequate	(47)
Djibouti	335	2015	N	SAC	Excessive	(48)
Dominica	203	2018	N	SAC	Adequate	(15)
Dominican Republic	223	2012	N	SAC	Adequate	(41)
Ecuador	215	2015-16	N	SAC	Adequate	(49)
Egypt	170	2014-15	N	SAC (8-10)	Adequate	(50)
El Salvador	206	2012	N	SAC	Adequate	(41)
Equatorial Guinea	564	2007	S	SAC	Excessive	(51)
Eritrea*	175	1998	N	SAC (6-12)	Adequate	(52)
Estonia*	65	1995	N	SAC (8-10)	Insufficient	(53)
Ethiopia	104	2015	N	SAC	Adequate	(54)
Fiji	207	2015-16	N	WRA (25-45)	Adequate	(55)
Finland	96	2017	N	Adults (25-74)	Insufficient	(56)
France	136	2006-07	N	Adults (18-74)	Adequate	(57)
Gabon	196	2007	S	SAC	Adequate	(58)
Gambia	157	2018	N	NPW (15-49)	Adequate	(59)
Georgia	298	2017	N	SAC (8-10)	Adequate	(60)
Germany	89	2014-17	N	SAC, Adolescents (3-17)	Insufficient	(61)
Ghana	202	2015	N	WRA (15-49)	Adequate	(62)
Greece	132	2017, 2018P	S	Adults	Adequate	(63)
Grenada	144	2018	N	SAC	Adequate	(15)
Guatemala	171	2017-18	N	SAC (6-14)	Adequate	(41, 64)
Guinea*	139	2003	N	SAC, Adolescents (6-16)	Adequate	(65)
Guinea-Bissau	110	2017 (P)	S	SAC (6-14)	Adequate	(66)
Guyana*	169	1996	N	SAC	Adequate	(41)
Haiti	77	2018	N	WRA (15-49)	Insufficient	(67)
Country or territory	Median UIC ($\mu\text{g}/\text{L}$)	Date of survey	Data type	Population surveyed	Iodine intake _{2,3}	References
Honduras*	356	2005	S	SAC	Excessive	(41)
Hungary*	228	2005	S	SAC (10-14)	Adequate	(68)
Iceland	200	2007-08	S	Adolescent girls (16–20)	Adequate	(69)
India	175	2016-18	N	SAC (5-9)	Adequate	(70)

Indonesia	215	2013	N	SAC (6-12)	Adequate	(71, 72)
Iran, Islamic Republic of	186	2016-17	N	SAC (8–10)	Adequate	(73)
Iraq	84	2011-12	N	SAC (6-12)	Insufficient	(74)
Ireland	111	2014-15	N	Adolescent girls (14-15)	Adequate	(75)
Israel	80	2020-21	N	SAC	Insufficient	(76) (77)
Italy	118	2015-19	S	SAC	Adequate	(78)
Jamaica	239	2018	N	SAC	Adequate	(15, 79)
Japan	269	2014-19	N	SAC (6-12)	Adequate	(80)
Jordan	203	2010	N	SAC (8–10)	Adequate	(81)
Kazakhstan	183	2011	S	WRA (15-49)	Adequate	(82)
Kenya	208	2011	N	SAC (5-14)	Adequate	(83)
Kiribati	-	-	-	-	-	-
Korea, Democratic People's Republic of	97	2009-10	N	SAC (6-12)	Insufficient	(84)
Korea, Republic of	449	2013-15	N	SAC, Adolescents (6-19)	Excessive	(85)
Kuwait	132	2014	N	SAC (6-12)	Adequate	(86)
Kyrgyzstan	175	2021	N	Adolescents (10-18)	Adequate	(87)
Lao People's Democratic Republic	103	2013	N	SAC	Adequate	(88)
Latvia	110	2010-11	N	SAC (9-12)	Adequate	(89)
Lebanon	66	2013-14	N	SAC (6-10)	Insufficient	(90)
Lesotho*	215	2002	N	SAC (8-12)	Adequate	(91)
Liberia	244	2011	N	SAC	Adequate	(92)
Libya	-	-	-	-	-	-
Liechtenstein	96	2010	N	SAC (6-12)	Insufficient	(93)
Lithuania*	75	1995	N	SAC	Insufficient	(94)
Luxembourg*	148	2002	N	SAC, Adolescents (12-14)	Adequate	(95)
Madagascar	47	2015	N	WRA (15-49)	Insufficient	(96)
Malawi	269	2015-16	N	SAC (5-10)	Adequate	(97)
Malaysia	109	2008	N	SAC (8–10)	Adequate	(98)
Maldives	176	2007	N	SAC (6–12)	Adequate	(99)
Mali*	69	2005	N	SAC (6–12)	Insufficient	(100)
Malta	-	-	-	-	-	-
Marshall Islands	-	-	-	-	-	-
Mauritania	179	2012	N	SAC	Adequate	(101)
Mauritius*	160	1995	N	Adults	Adequate	(102)

Country or territory	Median UIC ($\mu\text{g/L}$)	Date of survey	Data type	Population surveyed	Iodine intake ^{2,3}	References
Mexico	297	2011	N	SAC (6-12)	Adequate	(41, 103)
Micronesia, Federated States of	-	-	-	-	-	-
Moldova, Republic of	136	2016	N	AD (18-69)	Adequate	(104)
Monaco	-	-	-	-	-	-
Mongolia	145	2016	N	SAC (6-11)	Adequate	(105)
Montenegro	173	2021	N	SAC (6-11)	Adequate	(106)
Morocco	117	2019	N	SAC (6-12)	Adequate	(107)
Mozambique	97	2011-12	N	WRA (15-49)	Insufficient	(108)
Myanmar	139	2016-17	N	SAC (5-9)	Adequate	(109)
Namibia*	216	1998-9	N	SAC (8-12)	Adequate	(110)
Nauru	142	2015	N	SAC (6-12)	Adequate	(111)
Nepal	314	2016	N	SAC (6-9)	Excessive	(112)
Netherlands*	130	2006	S	Adults (50-72)	Adequate	(113)
New Zealand	116	2015	S	SAC (8-10)	Adequate	(114)
Nicaragua	90	2018	N	NPNLW (14-75)	Insufficient	(115)
Niger	101	2015	S	SAC	Adequate	(116)
Nigeria*	130	2004-05	N	SAC (9-12)	Adequate	(117)
Niue	-	-	-	-	-	-
Norway	75	2017-18	S	WRA (18-30)	Insufficient	(118)
Oman	192	2014	N	SAC (6-14)	Adequate	(86, 119)
Pakistan	123	2018-19	N	SAC (6-12)	Adequate	(120)
Palau	-	-	-	-	-	-
Palestine, State of	193	2013	N	SAC (7-12)	Adequate	(121)
Panama	292	2015 (P)	N	SAC (5-14)	Adequate	(122)
Papua New Guinea*	170	2005	N	WRA (15-49)	Adequate	(123)
Paraguay	293	2014	N	SAC (5-18)	Adequate	(124)
Peru	292	2017	N	SAC (6-13)	Adequate	(125)
Philippines	180	2018-19	N	SAC (6-12)	Adequate	(126)
Poland	120	2017	S	SAC (6-12)	Adequate	(127)
Portugal	106	2012	N	SAC (6-12)	Adequate	(128)
Qatar	342	2014	N	SAC (6-12)	Excessive	(129)
Romania	255	2015-16	N	SAC (6-7)	Adequate	(130)
Russian Federation	<100	2008-20	S	SAC	Insufficient	(131)
Rwanda*	298	1996	N	SAC, Adolescents (5-19)	Adequate	(132)
Saint Kitts and Nevis	204	2018	N	SAC	Adequate	(15)
Saint Lucia	141	2018	N	SAC	Adequate	(15)
Saint Vincent and the Grenadines	132	2018	N	SAC	Adequate	(15)
Samoa	88	2013	N	WRA (18-45)	Insufficient	(133)
San Marino	-	-	-	-	-	-
Sao Tome and Principe	-	-	-	-	-	-
Saudi Arabia	133	2012	N	SAC (8-10)	Adequate	(134, 135)

Country or territory	Median UIC ($\mu\text{g/L}$)	Date of survey	Data type	Population surveyed	Iodine intake ^{2,3}	References
Senegal	101	2015	N	WRA (15-49)	Adequate	(136)
Serbia	195	2007	N	SAC (6–14)	Adequate	(137)
Seychelles	147	2020	N	SAC (mean 7.4)	Adequate	(138)
Sierra Leone	203	2013	N	WRA	Adequate	(139, 140)
Singapore	-	-	-	-	-	-
Slovakia*	183	2002	N	SAC (6-12)	Adequate	(141)
Slovenia*	140	2003-05	N	Adolescents (15-16)	Adequate	(142, 143)
Solomon Islands	328	2007-10	S	SAC (6-12)	Excessive	(144)
Somalia	263	2019	N	WRA (15-49)	Adequate	(145)
South Africa	130	2015	N	Adults (18-49)	Adequate	(146, 147)
South Sudan*	94	2006	S	SAC (6-12)	Insufficient	(148)
Spain	173	2011-12	N	SAC	Adequate	(149)
Sri Lanka	233	2016	N	SAC (6–12)	Adequate	(112)
Sudan	108	2018-19	N	WRA (15-49)	Adequate	(150)
Suriname	-	-	-	-	-	-
Swaziland*	170	1998, 1999 (P)	S	SAC (6–12)	Adequate	(151)
Sweden	125	2006-07	N	SAC (6-12)	Adequate	(152)
Switzerland	137	2015	N	SAC (6–12)	Adequate	(153)
Syrian Arab Republic	-	-	-	-	-	-
Tajikistan	75	2016	N	WRA (15-49)	Insufficient	(154)
Tanzania, United Republic of	204	2015-16	N	WRA (15-49)	Adequate	(155)
Thailand	179	2015	N	SAC (6-9)	Adequate	(156, 157)
The Former Yugoslav Republic of Macedonia	236	2016	N	SAC	Adequate	(158, 159)
Timor-Leste	170	2013	N	WRA	Adequate	(160)
Togo*	171	2005	N	SAC (6–12)	Adequate	(161, 162)
Tonga	-	-	-	-	-	-
Trinidad and Tobago	311	2018	N	SAC	Excessive	(15)
Tunisia	220	2012	N	SAC (6-12)	Adequate	(163, 164)
Turkey	107	2007	N	SAC (6–14)	Adequate	(165)
Turkmenistan*	188	2006	N	SAC (8–10)	Adequate	(166)
Tuvalu	-	-	-	-	-	-
Uganda*	464	2005	N	SAC (6–12)	Excessive	(167)
Ukraine*	75	2019	N	Adults (18-69)	Insufficient	(168, 169)
United Arab Emirates	162	2008-09	N	SAC (6–12)	Adequate	(170)
United Kingdom	149	2016/17-2018/19	N	SAC (4-10)	Adequate	(171)
United States of America	190	2011-14	N	SAC (6-11)	Adequate	(172)
Uruguay	248	2016	N	SAC	Adequate	(173)
Uzbekistan	141	2017	N	WRA	Adequate	(174)
Vanuatu	77	2007	N	WRA (15-49)	Insufficient	(175)
Venezuela	180	2011	N	SAC	Adequate	(41)
Viet Nam	84	2013-14	N	SAC (8-10)	Insufficient	(176)
Yemen	101	2015	N	SAC (6–12)	Adequate	(177)

Country or territory	Median UIC ($\mu\text{g/L}$)	Date of survey	Data type	Population surveyed	Iodine intake ^{2,3}	References
Zambia	245	2011	N	SAC (6-12)	Adequate	(178)
Zimbabwe	130	2013	N	SAC (5-12)	Adequate	(179)
Notes						

1. In population monitoring of iodine status using urinary iodine concentration (UIC), school-age children (SAC) serve as a proxy for the general population, therefore preference has been given to studies carried out in SAC. The UIC data have been selected for each country in the following order of priority: data from the most recent known nationally representative survey carried out between 2007 and 2021 in (i) SAC, (ii) SAC and adolescents, (iii) adolescents, (iv) women of reproductive age, (v) other adults (excluding pregnant or lactating women), and (vi) other eligible populations. In the absence of recent national surveys, subnational data were used in the same order of priority. Sub-national UIC surveys are commonly carried out to provide a rapid assessment of population iodine status, but due to a lack of sampling rigor, they may over- or underestimate the iodine status at the national level and should be interpreted with caution.

2. Adequate iodine intake in school-age children corresponds to median UIC values in the range 100-299 $\mu\text{g/L}$, and includes categories previously referred to as "Adequate" (100-199 $\mu\text{g/L}$) and "More than adequate" (200-299 $\mu\text{g/L}$).

3. Many countries monitor iodine status in both school-age children (SAC) and in women of reproductive age (WRA) or adults. WHO defines adequate iodine intake in adults as a median UIC value ≥ 100 $\mu\text{g/L}$. However, the scientific basis for this threshold is weak. Estimates based on populations other than SAC should be interpreted with caution.

4. No surveys with sample sizes < 100 are included in this compilation of data.

Contact: maria.andersson@kispi.uzh.ch

Suggested citation: The Iodine Global Network. Global scorecard of iodine nutrition in 2022 in the general population based on school-age children (SAC). IGN: Ottawa, Canada. 2022.

This Scorecard and the accompanying global map of iodine nutrition in the general population can be downloaded, shared, and reproduced under a Creative Commons licence CC-BY-SA-ND-NC.

© The Iodine Global Network, 2022

References

1. National nutrition survey Afghanistan, 2013. Kabul, Afghanistan: Ministry of Public Health (Afghanistan), UNICEF; 2014.
2. Ylli A HJ, Qirjako G, Burazeri G, Toçi E et al. . Albania achieves adequate iodine nutrition. *IDD Newsletter*. 2022;50(1):10-2. (<https://www.ign.org/idd-newsletter-12022.htm>, accessed 5 April 2023).
3. Akdader-Oudahmane S, Hamouli-Saïd Z, Zimmermann MB, Kherrab H, Azzoug S, Meskine D. High prevalence of TPO-Abs and subclinical hypothyroidism in iodine-sufficient pregnant women in Northern Algeria. *J Trace Elem Med Biol*. 2020;61:126533. doi: 10.1016/j.jtemb.2020.126533.
4. Faculty of Medicine, University Agostinho Neto. Iodine in Angola: Availability and quality of consumption 2019. Luanda; 2019.
5. Zimmerman MB. First national survey in Angola shows adequate iodine status in non pregnant women and 74% household coverage with iodized salt *IDD Newsletter*. 2021;49:2-4. (<https://ign.org/latest/newsletter/across-angola-women-have-adequate-iodine-intakes/>, accessed 8 June 2023).
6. Zimmermann MB, Stoffel N, Giorgetti A. Caribbean island urinary iodine survey 2018 (CRUISE). 2018.
7. López-Linares S, Pretell E. Iodine deficiency in pregnant women in Argentina. *IDD Newsletter*. 2014;50:10-2. (<https://ign.org/latest/newsletter/across-afghanistan-children-are-now-iodine-sufficient/>, accessed 22 June 2023).
8. Hutchings N, Aghajanova E, Baghdasaryan S, Qefoyan M, Sullivan C, He X et al. A stratified cross-sectional cluster model survey of iodine nutrition in Armenia after a decade of universal salt iodization. *Endocr Pract*. 2019;25:987-93. doi: 10.4158/EP-2018-0634.
9. Hutchings N, Aghajanova E, Baghdasaryan S, Qefoyan M, Sullivan C, He X et al. Constituent analysis of iodine intake in Armenia. *Public health nutrition*. 2018;21:2982–8. doi: 10.1017/s1368980018002197.
10. Australian Health Survey: Biomedical results for nutrients, 2011-12. Canberra, Australia: Australian Bureau of Statistics; 2013 <https://www.abs.gov.au/statistics/health/health-conditions-and-risks/australian-health-survey-biomedical-results-nutrients/latest-release>, accessed 19 June 2023).
11. Institut für Ernährungswissenschaften Universität Wien. Österreichischer Ernährungsbericht 2012 [Austrian nutrition report 2012]. Vienna: Bundesministeriums für Gesundheit; 2012.
12. Ministry of Health, Azerbaijan (2009). Iodine Nutrition of the Azerbaijan Population, Coverage and Quality of Iodized Salt on Household and Market (Wholesale and Retail) Levels. UNICEF Representative Office in Azerbaijan, Ministry of Health of Azerbaijan, Baku, Azerbaijan Medical University; 2009.
13. Al-Jawaldeh A, Gharib N, Sharief I, Al Salehi S, Al Amer M. Prevalence and risk factors of iodine deficiency among school children (6-12) years in Kingdom of Bahrain. World Health Organization; Ministry of Health, Kingdom of Bahrain; ICCIDD; 2013-14.
14. National micronutrients status survey 2011-12 final report. Dhaka, Bangladesh: International Centre for Diarrhoeal Disease Research, Bangladesh, Dhaka (ICDDR,B), United Nations Children's Fund (UNICEF), Global Alliance for Improved Nutrition (GAIN), Institute of Public Health and Nutrition; 2013.
15. Giorgetti A, Zimmermann M. Rapid, population-based surveys provide information on iodine status in 10 Caribbean countries that had no previous data. *IDD Newsletter*. 2019;47(3):2-5. (<https://ign.org/latest/newsletter/caribbean-children-have-ample-iodine-intake/>, accessed 22 June 2023).
16. Mokhort TV, Petrenko SV, Leushev B, Fedorenko EV, Kolomiets ND, Mokhort AG. Assessment of iodine status among school age children and pregnant women of Belarus in 2017–2018. *Clinical and experimental thyroidology*. 2018. doi: 10.14341/ket9732.
17. Vandevijvere S, Ruttens A, Wilmet A, Marien C, Hautekiet P, Van Loco J et al. Urinary sodium and iodine concentrations among Belgian adults: results from the first national Health Examination Survey. *Eur J Clin Nutr*. 2021;75:689-96. doi: 10.1038/s41430-020-00766-5.
18. Ntambwe T, Koudjrohede L, Le Dain A, Kupka R. Benin closes in on USI. *IDD Newsletter*. 2012;40(1):11-2. (<https://ign.org/latest/newsletter/global-iodine-nutrition-a-remarkable-leap-forward-in-the-past-decade/>, accessed 19 June 2023).
19. Étude épidémiologique de la lutte contre les troubles dus à la carence en iode au Bénin, Juin 2011 [Epidemiological study of the fight against iodine deficiency disorders in Benin, June 2011]. Cotonou, Benin: Ministry of Agriculture [République du Bénin], UNICEF; 2011.
20. Study on IDD Elimination Sustainability in Bhutan for establishing the country status. Department of Public Health, Ministry of Health, Royal Government of Bhutan; 2010.
21. Pretell EA, Pearce EN, Moreno SA, Dary O, Kupka R, Gizak M et al. Elimination of iodine deficiency disorders from the Americas: A public health triumph. *Lancet Diabetes Endocrinol*. 2017;5:412-4. doi: 10.1016/S2213-8587(17)30034-7.
22. Iodine status of the population of Bosnia-Herzegovina. Sarajevo: UNICEF Office for Bosnia-Herzegovina, United Nations Children's Fund; 2006.
23. Micronutrient malnutrition in Botswana. A national survey to assess the status of iodine, iron, and vitamin A. Gaborone, Botswana: Botswana Ministry of Health, UNICEF; 1996.
24. Cesar JA, Santos IS, Black RE, Chrestani MAD, Duarte FA, Nilson EAF. Iodine status of Brazilian school-age

- children: A national cross-sectional survey. *Nutrients*. 2020;12. doi: 10.3390/nu12041077.
25. Boyanov MA. Trends in the epidemiology of thyroid diseases in Bulgaria since the year 2000-a review of the literature. *Hormones (Athens, Greece)*. 2020;19:477–84. doi: 10.1007/s42000-020-00203-z.
26. Angelova K, Timcheva T, Tenev T, Atzeva E, Bojilova D. National study of urinary iodine excretion - biomarker of iodine nutrition. *Bulgarian Journal of Public Health*. 2009;1:66-72. doi: .
27. Direction de la Nutrition (Ministère de la Santé), UNICEF, GroundWork. Enquête Nationale d'Iode et de l'Anémie au Burkina Faso (ENIAB 2014). National Iodine Status and Anemia Survey. Burkina Faso; 2014 <http://www.issp.bf/index.php/en/droits-des-enfants-au-bf/2-documents-recenses/3-nutrition/5-rapport-de-recherche-consultation-1/229-enquete-nationale-iode-et-anemie-au-bf-eniab-depliant-final/file>, accessed 20 May 2020).
28. Sustainable prevention and control of iodine deficiency disorders in Burundi. Report of a National IDD Survey in women of reproductive age conducted in February 2018. Bujumbura, Burundi: Ministry of Public Health of Burundi, ISTEERU, INSP; 2018.
29. Lailou A, Sophonneary P, Kuong K, Hong R, Un S, Chamnan C et al. Low urinary iodine concentration among mothers and children in Cambodia. *Nutrients*. 2016;8:172. doi: 10.3390/nu8040172.
30. Cambodia demographic and health survey 2014. Phnom Penh, Cambodia: National Institute of Statistics, Directorate General for Health, ICF International; 2015.
31. Bonglaisin JN, Ngondé EMC, Tsafack TJJ, Ngo Nlend M, Mbakop CD, Wirsy E et al. Monitoring and impact evaluation of iodized salt intervention in Cameroon. *Heliyon*. 2019;5. doi: 10.1016/j.heliyon.2019.e01670.
32. Bertinato J, Qiao C, L'Abbé MR. Iodine Status of Canadian Children, Adolescents, and Women of Childbearing Age. *J Nutr*. 2021;151:3710-7. doi: 10.1093/jn/nxab268.
33. Bertinato J. Pooled data for boys and girls. Personal Communication. 24 March 2023.
34. Ntambwe KT. Résultats de l'enquête sur la lutte contre les troubles dus à la carence en iode au Cap Vert [Survey results of iodine deficiency in the Cap Verde]. Praia, Cape Verde: Ministry of Health of Cap Verde, National Institute of Statistics, UNICEF; 2010.
35. Yazipo D, Ngaindiro L, Barriere-Constantin L, Namboua L, Pichard E, Ndoyo J et al. Efficacité d'un système d'iodation de l'eau dans la lutte contre les troubles dus à la carence iodée en Afrique centrale [Effectiveness of a water iodination system for preventing iodine deficiency diseases in Central Africa]. *Santé*. 1995;5:9-17. (https://www.jle.com/fr/revues/san/e-docs/efficacite_dun_systeme_diodation_de_leau_dans_la_lutte_contre_les_troubles_dus_a_la_carence_iodee_en_afrique_centrale_269998/article.phtml, accessed 8 June 2023).
36. Ntambwe T. Rapport d'évaluation de la lutte contre les TDCI au Tchad [Evaluation report of the fight against IDD in Chad]. N'Djaména, Chad: Ministère de la Santé Publique République du Tchad; 2003.
37. Documento segunda entrega de resultados Tercera Encuesta Nacional de Salud (ENS) 2016-2017 [Results of Third National Health Survey (NHS) 2016-2017, in Spanish]. Departamento de Epidemiología; 2019 http://epi.minsal.cl/wp-content/uploads/2019/01/MinutaTecnica.-2%C2%BA-Resultados-ENS_DEPTO.EPIDEMIOLOGIA.MINSAL.14.01.2019.pdf, accessed 19 June 2023).
38. Hui L, Lijun Z, Peng L, Jun Y, Jie H, Junrui P et al. Achievement in prevention and control of endemic diseases in China in the past 10 years (2012-2021), challenges in the future and countermeasures. *Chin J Endemiol*. 2022;41(9): 689-94. doi: 10.3760/cma.j.cn231583-20220802-00276.
39. Beer RJ, Herran OF, Villamor E. Median urinary iodine concentration in Colombian children and women is high and related to sociodemographic and geographic characteristics: Results from a nationally representative survey. *J Nutr*. 2021;151:940-8. doi: 10.1093/jn/nxaa392.
40. Mayambu B, Kamuna BaK. Évaluation de la lutte contre les troubles dus à la carence en iode en république démocratique du Congo (RDC) en 2007 - Rapport final. République Démocratique du Congo: Ministère de la Santé Publique 2007 <http://www.jesp-dz.com/2013/06/27/evaluation-de-la-lutte-contre-les-troubles-dus-a-la-carence-en-iode-en-republique-democratique-du-congo-rdc/>, accessed 20 May 2020).
41. Pretell EA. The sustainable elimination of iodine deficiency disorders in Latin America. Report of the sub regional workshops to evaluate the current situation of the Latin American countries. Ottawa, Canada: IGN; 2015.
42. Ministère d'état d'Ivoire, UNICEF. Evaluation de la lutte contre les troubles dus à la carence en iode en Côte d'Ivoire: rapport final [in French]. Abidjan, Côte d'Ivoire: Ministère de la Santé et de la Population, Programme National de Nutrition; 2004.
43. Kusić Z, Jukić T, Rogan SA, Jureša V, Dabelić N, Staničić J et al. Current status of iodine intake in Croatia – the results of 2009 survey. *Collegium antropologicum*. 2012;36:123-8. (<https://pubmed.ncbi.nlm.nih.gov/22816208/>, accessed 19 of June).
44. Terry-Berro B, Quintana-Jardines I, de la Paz-Luna M, García J, Fernández-Bohórquez R, Silvera-Téllez D et al. Impacto de las acciones para la eliminación sostenible de la deficiencia de yodo en Cuba. *Revista Peruana de Medicina Experimental y Salud Pública*. 2014;31:24-9. (http://www.scielo.org.pe/scielo.php?script=sci_arttext&pid=S1726-46342014000100004&nrm=iso, accessed 20 May 2020).
45. Mousa U, Sav H, Köseoğulları O, Erdoğan MF. Iodine status of pregnant women in northern Cyprus. *Galenos Publishing House*; 2018; 35: 449-50.

46. Hanzlíková L, Sochorová L, Kašparová L, Fialová A, Kubínová R, Černá M. Current human biomonitoring - Iodine status in Czech population. *Hygiena*. 2018;63:84-8. doi: 10.21101/hygiena.a1624.
47. Rasmussen LB, Kirkegaard-Klitbo DM, Laurberg P, Jørgensen T, Ovesen L, Perrild H. Iodine excretion in school children in Copenhagen. *Danish Medical Journal*. 2016;63. (<https://ugeskriftet.dk/dmj/iodine-excretion-school-children-copenhagen>, accessed 19 June 2023).
48. Farebrother J, Zimmermann MB, Abdallah F, Assey V, Fingerhut R, Gichohi-Wainaina WN et al. Effect of excess iodine Intake from iodized salt and/or groundwater iodine on thyroid function in nonpregnant and pregnant women, infants, and children: A multicenter study in East Africa. *Thyroid*. 2018;28:1198-210. doi: 10.1089/thy.2018.0234.
49. Higa A-M. Análisis estadístico descriptivo de los resultados, Ecuador. Personal communication with IGN. Ecuador: EPISIG, INSPILIP; 2016-2017.
50. Ministry of Health and Population, GAIN, UNICEF. National survey of iodine status and household iodised salt use among primary school children and pregnant women: Egypt 2014/2015. Cairo, Egypt; 2015.
51. Lantum D. The IDD control program in Equatorial Guinea. *IDD Newsletter*. 2007;25:6-8. (<https://ign.org/latest/newsletter/controlling-idd-in-ukraine/>, accessed 19 June 2023).
52. Eritrea national iodine deficiency disorders survey. Ministry of Health (Eritrea); 1998.
53. Veinpalu M, Ambos A, Velbri S, Vaher Y, Podar T. Urinary iodine excretion in Estonian children. 1996; 135: 248.
54. Anonymous. Ethiopian national micronutrient survey report. Addis Ababa, Ethiopia: Ethiopian Public Health Institute; 2016.
55. Pillay A, Trieu K, Santos JA, Sukhu A, Schultz J, Wate J et al. Assessment of a salt reduction intervention on adult population salt intake in Fiji. *Nutrients*. 2017;9. doi: 10.3390/nu9121350.
56. Erlund I. Nutrition in Finland – The National FinDiet 2017 Survey. Report 12/2018, 239 pages. ISBN 978-952-343-237-6 (printed); ISBN 978-952-343-238-3 (online publication) [In Finnish]. Personal communication with IGN from Nov 2019. Helsinki, Finland: Institute for Health and Welfare (THL); 2018 <http://urn.fi/URN:ISBN:978-952-343-238-3>.
57. Déficience en iode [iodine deficiency]. L'état de santé de la population en France. Suivi des objectifs annexés à la loi de santé publique. Rapport 2009-2010. Nutrition et activité physique - Déficience en Iode; 6. Objectif L'état de santé de la population en France; 2010 (in French).
58. Lantum D. The fight against IDD in Gabon. *IDD Newsletter*. 2007;26:7-8. (<https://ign.org/latest/newsletter/from-severe-endemic-cretinism-to-iodine-sufficiency/>, accessed 19 June 2023).
59. Petry N, Jallow B, Sawo Y, Darboe MK, Barrow S, Sarr A et al. Micronutrient deficiencies, nutritional status and the determinants of anemia in children 0-59 months of age and non-pregnant women of reproductive age in The Gambia. *Nutrients*. 2019;11. doi: 10.3390/nu11102275.
60. Gerasimov G, van der Haar F. Report on the national assessment of iodine nutrition status and iodized salt use in the Republic of Georgia. Tbilisi, Georgia: NCDC, UNICEF, IGN; 2017.
61. Thamm M. Iodine status in Germany - unpublished results. Personal communication with IGN 4 Feb 2020. Robert Koch Institute; 2020.
62. GAIN, Ghana Health Service, UNICEF. National Iodine Survey report Ghana, 2015. Accra: Ghana Health Service; 2017.
63. Michalaki M, Kyriazopoulou, V., Paraskevopoulou, P., Vagenakis, A. G., & Markou, K. B. The odyssey of nontoxic nodular goiter (NTNG) in Greece under suppression therapy, and after improvement of iodine deficiency. *Thyroid*. 2008;18:641–5. doi: <https://doi.org/10.1089/thy.2007.0348>.
64. Instituto de Nutrición de Centro América y Panamá [Guatemala]. Informe del Sistema de Vigilancia Epidemiológica de Salud y Nutrición -SIVESNU- mayo 2017 – febrero 2018 – Módulo 1: Introducción y datos del hogar, Informe final [Report of the Health and Nutrition Epidemiological Surveillance System -SIVESNU- May 2017 – February 2018 – Module 1: Introduction and household data, Final report]. Guatemala City: Instituto de Nutrición de Centro América y Panamá [Guatemala]; 2019 (in Spanish). 2019. (<https://portal.siinsan.gob.gt/wp-content/uploads/SIVESNU-2018-MODULO-1-PARA-SESAN-2020-1.pdf>, accessed 19 June 2023).
65. Rapport de l'évaluation de la lutte contre les TDCI en Guinée [Report on the evaluation of the fight against IDD in Guinea]. Conakry, République de Guinée: Ministère de la Santé Publique; 2003 (in French).
66. Carvalho AC, Machado A, Embalo AR, Bordalo AA. Endemic goiter and iodine deficiency status among Guinea-Bissau school-age children. *Eur J Clin Nutr*. 2018;72:1576-82. doi: 10.1038/s41430-017-0055-0.
67. Haiti MSPP, UNICEF, IR-CUSM. Enquête Nationale sur la Carence en Iode en Haïti (ENCIH), 2018 – Rapport Final. 2018.
68. Péter F, Podoba J, Muzsnai Á. Iodine status of schoolchildren in Hungary: improvement a decade on. *Eur Thyroid J*. 2015;4:71-2. doi: 10.1159/000371550.
69. Gunnarsdóttir I, Gunnarsdóttir BE, Steingrimsdóttir L, Maage A, Johannesson AJ, Thorsdóttir I. Iodine status of adolescent girls in a population changing from high to lower fish consumption. *Eur J Clin Nutr*. 2010;64:958-64. doi: 10.1038/ejcn.2010.100.
70. Ministry of Health and Family Welfare, Government of India, UNICEF, Population Council. Comprehensive

- National Nutrition Survey (CNNS) national report. New Delhi: Ministry of Health and Family Welfare; 2019.
71. Report on result of national basic health research (RISKESDAS) 2013. Jakarta, Indonesia: National Institute of Health Research and Development, Ministry of Health; 2013.
72. Kartono D, Atmarita A, Jahari A, Soekirman S, Izwardy D. The situation of urinary iodine concentration (UIC) among schoolage children, women at reproductive age and pregnant women in Indonesia: The analysis of RISKESDAS 2013. *Gizi Indonesia*. 2017;39:49-58. doi: 10.36457/gizindo.v39i1.207.
73. Rezaie M, Dolati S, Hariri Far A, Abdollahi Z, Sadeghian S. Assessment of Iodine Status in Iranian Students Aged 8-10 Years: Monitoring the National Program for the Prevention and Control of Iodine Deficiency Disorders in 2016. *Iran J Public Health*. 2020;49:377-85. (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7231715/>, accessed 19 June 2023).
74. Iraq national micronutrient deficiencies: Assessment and response 2011 - 2012. Baghdad, Republic of Iraq: Iraqi Ministry of Health, Central Statistical Organization, Ministry of Health Kurdistan Regional Government, Kurdistan Regional Statistics Office, World Health Organization, United Nations Children's Fund, World Food Programme, European Commission; 2012.
75. Mullan K, Hamill L, Doolan K, Young I, Smyth P, Flynn A et al. Iodine status of teenage girls on the island of Ireland. *Eur J Nutr*. 2019. doi: 10.1007/s00394-019-02037-x.
76. Ovadia YS, Arbelle JE, Gefel D, Brik H, Wolf T, Nadler V et al. First Israeli national iodine survey demonstrates iodine deficiency among school-aged children and pregnant women. *Thyroid*. 2017;27:1083-91. doi: 10.1089/thy.2017.0251.
77. Barnett-Iltzhaki Z, Ehrlich D, Troen AM, Rorman E, Groisman L, Blaychfeld-Magnazi M et al. Results of the national biomonitoring program show persistent iodine deficiency in Israel. *Isr J Health Policy Res*. 2022;11:18. doi: 10.1186/s13584-022-00526-9.
78. Olivieri A, Andò S, Bagnasco M, Meringolo D, Mian C, Moleti M et al. The iodine nutritional status in the Italian population: data from the Italian National Observatory for Monitoring Iodine Prophylaxis (OSNAMI) (period 2015–2019). *Am J Clin Nutr*. 2019;110:1265-6. doi: 10.1093/ajcn/nqz206.
79. Zimmermann M, Morris A, Boyne M. First national study shows Jamaica is iodine sufficient. *IDD Newsletter*. 2018;46:1-3. (<https://ign.org/latest/newsletter/first-national-study-shows-jamaica-is-iodine-sufficient/>, accessed 19 June 2023).
80. Fuse Y, Ito Y, Shishiba Y, Irie M. Current Iodine Status in Japan: A Cross-sectional Nationwide Survey of Schoolchildren, 2014-2019. *The Journal of Clinical Endocrinology & Metabolism*. 2021;107:e2065-e79. doi: 10.1210/clinem/dgab919.
81. Massa'd H, Barham R. National survey to assess iodine deficiency disorders among Jordanian children. Jordan: Ministry of Health; 2010.
82. Ministry of Health of the Republic Kazakhstan and the Academy of Preventive Medicine. Organization of continuous biological monitoring of indicator groups of the population with iodine, iron, folic acid and vitamin A in all regions of the republic and cities of Astana and Almaty. . Almaty: Ministry of Health of the Republic Kazakhstan and the Academy of Preventive Medicine; 2011.
83. The Kenya national micronutrient survey 2011. Nairobi, Kenya: Ministry of Health 2012.
84. Report on iodine deficiency disorders survey in DPR of Korea. Pyongyang: Ministry of Public Health [Democratic People's Republic of Korea]; 2010.
85. Kang MJ, Hwang IT, Chung HR. Excessive iodine intake and subclinical hypothyroidism in children and adolescents aged 6-19 years: Results of the sixth Korean national health and nutrition examination survey, 2013-2015. *Thyroid*. 2018;28:773-9. doi: 10.1089/thy.2017.0507.
86. Zimmermann MB, Hussein I, Al Ghannami S, El Badawi S, Al Hamad NM, Hajj HB et al. Estimation of the prevalence of inadequate and excessive iodine intakes in school-age children from the adjusted distribution of urinary iodine concentrations from population surveys. *J Nutr*. 2016;146:1204-11. doi: 10.3945/jn.115.229005.
87. Ministry of Health of the Kyrgyz Republic, UNICEF, FAO, WFP, WHO, USAID et al. National Integrated Micronutrient and Anthropometry Survey 2021. Snapshots of Key Findings. Bishkek, the Kyrgyz Republic.; 2021.
88. van der Haar F, Gerasimov G. Renewed commitment to iodized salt in Laos. *IDD Newsletter*. 2015;43:2-4. (<https://ign.org/latest/newsletter/renewed-commitment-to-iodized-salt-in-laos/>, accessed 19 June 2023).
89. Konrade I, Kalere I, Strele I, Makrecka-Kuka M, Jekabsone A, Tetere E et al. Iodine deficiency during pregnancy: A national cross-sectional survey in Latvia. *Public Health Nutr*. 2015;18:2990-7. doi: 10.1017/S1368980015000464.
90. Ghattas H, Francis S, El Mallah C, Shatila D, Merhi K, Hlais S et al. Lebanese children are iodine deficient and urinary sodium and fluoride excretion are weak positive predictors of urinary iodine. *Eur J Nutr*. 2017;56:749-55. doi: 10.1007/s00394-015-1120-x.
91. Sebotsa MLD, Dannhauser A, Jooste PJ, Joubert G. Iodine status as determined by urinary iodine excretion in Lesotho two years after introducing legislation on universal salt iodization. *Nutrition*. 2005;21:20-4. doi: 10.1016/j.nut.2004.09.005.
92. Kupka R. Findings from 2011 Liberia national micronutrient survey on salt iodine and urinary iodine concentration. Personal communication with IGN 2012.

93. Hilty FM, Zimmermann MB. Schoolchildren in the Principality of Liechtenstein are mildly iodine deficient. *Public Health Nutr.* 2011;14:1312-4. doi: 10.1017/S1368980010003393.
94. IDD in the Baltics. *IDD Newsletter.* 2000;16. accessed
95. Etude sur l'évaluation de la iodurie effective en milieu scolaire [Study on the evaluation of effective ioduria in schools]. Luxembourg: Ministère de la sante de Luxembourg, Direction de la sante; 2002 (in French).
96. Randremanana RV, Bastaraud A, Rabarijaona LP, Piola P, Rakotonirina D, Razafinimanana JO et al. First national iodine survey in Madagascar demonstrates iodine deficiency associated with low household coverage of iodized salt. *Matern child nutr.* 2018:e12717-e. doi: 10.1111/mcn.12717.
97. Malawi micronutrient survey 2015-16. National Statistical Office [Atlanta], Community Health Sciences Unit [Malawi], Centers for Disease Control and Prevention, Emory University; 2017.
98. Selamat R, Wan Mohamad WN, Zainuddin AA, Rahim NSCA, Ghaffar SA, Aris T. Iodine deficiency status and iodised salt consumption in Malaysia: Findings from a national iodine deficiency disorders survey. *Asia Pac J Clin Nutr.* 2010;19:578-85. doi: 10.6133/apjcn.2010.19.4.18.
99. Maldives Ministry of Health and Family, UNICEF Maldives. National micronutrient survey 2007, Project report. Male; 2010.
100. Ntambwe T. Enquete nationale sur la lutte contre les troubles dus a la carence en iode au Mali. Bamako, Mali: Ministère de la Santé, Direction Nationale de la Santé; 2005.
101. Kibambe DN. Personal Communication 9 March 2012. *For background on IDD program see: Ntambwe Kibambe, T. (2007). "Reinvigorating the IDD control program in Mauritania." In IDD Newsletter 26(4), 2012. 2012.*
102. A survey of nutrition in Mauritius and Rodrigues. Port Louis: Ministry of Health of Mauritius; 1995.
103. García-Solís P, Solís-S JC, García-Gaytán AC, Reyes-Mendoza VA, Robles-Osorio L, Villarreal-Ríos E et al. Iodine nutrition in elementary state schools of Queretaro, Mexico: correlations between urinary iodine concentration with global nutrition status and social gap index. *Arq Bras Endocrinol Metabol.* 2013;57:473-82. doi: 10.1590/s0004-27302013000600010.
104. D'Elia L, Obreja G, Ciobanu A, Breda J, Jewell J, Cappuccio FP. Sodium, potassium and iodine intake, in a national adult population sample of the Republic of Moldova. *Nutrients.* 2019;11:2896. doi: 10.3390/nu1122896.
105. Nutrition status of the population of Mongolia: Fifth national nutrition survey report. Ulaanbaatar, Mongolia: Ministry of Health [Government of Mongolia], National Center for Public Health, UNICEF; 2017.
106. Institute of Public Health in Montenegro (2021). Assessment of Iodine Status of School-Age Children in Montenegro. Podgorica: Institute of Public Health of Montenegro; April 2021.
107. El Ammari L, Saeid N, Talouizte A, Gamih H, Labzizi S, Mendili JE et al. A household-based survey of iodine nutrition in Moroccan children shows iodine sufficiency at the national level but risk of deficient intakes in mountainous areas. *Children (Basel).* 2021;8. doi: 10.3390/children8030240.
108. Ministry of Health Mozambique. Estudo nacional sobre a deficiência em iodo na crianças dos 6 aos 12 aos de idade: versão final. Maputo, Republic of Mozambique: Ministério da Saúde; Direção Nacional de Saúde, UNICEF, WHO; 2006.
109. Myanmar micronutrient and food consumption survey MMFCS 2017-2018. Interim Report. 2019.
110. Nation-wide follow-up survey on iodine deficiency disorders (IDD) in Namibia 1998/99. Windhoek, Namibia: Ministry of Health and Social Services, Government of the Republic of Namibia; 2001.
111. Huang CJ, Tseng CL, Chen HS, Garabwan C, Korovo S, Tang KT et al. Iodine nutritional status of school children in Nauru 2015. *Nutrients.* 2016;8. doi: 10.3390/nu8090520.
112. Nepal national micronutrient status survey, 2016. Kathmandu, Nepal: Ministry of Health and Population [Nepal], New ERA, UNICEF, EU, USAID, and CDC; 2018.
113. Medici M, Ghassabian A, Visser W, De Muinck Keizer-Schrama SMPF, Jaddoe VWV, Visser WE et al. Women with high early pregnancy urinary iodine levels have an increased risk of hyperthyroid newborns: The population-based Generation R Study. *Clin Endocrinol.* 2014;80:598-606. doi: 10.1111/cen.12321.
114. Jones E, McLean R, Davies B, Hawkins R, Meiklejohn E, Ma ZF et al. Adequate iodine status in New Zealand school children post-fortification of bread with iodised salt. *Nutrients.* 2016;8. doi: 10.3390/nu8050298.
115. Sistema de Vigilancia de Intervenciones Nutricionales (SIVIN) [System for Surveillance of Nutritional Interventions]. Nicaragua: Ministerio de Salud, Nicaragua; 2018 (in Spanish).
116. Hess SY, Ouédraogo CT, Young RR, Bamba IF, Stinca S, Zimmermann MB et al. Urinary iodine concentration identifies pregnant women as iodine deficient yet school-aged children as iodine sufficient in rural Niger. *Public Health Nutr.* 2017;20:1154-61. doi: 10.1017/S1368980016003232.
117. Ajayi O, Akinyele I, Oguntona E, Akinosu O, Sanusi R. Assessment of total goitre prevalence and urinary iodine in Nigeria. Abuja, Nigeria: Survival and Early Child Care, UNICEF Country Office [Nigeria]; 2006.
118. Henjum S, Brantsæter AL, Kurniasari A, Dahl L, Aadland EK, Gjengedal ELF et al. Suboptimal iodine status and low iodine knowledge in young Norwegian women. *Nutrients.* 2018;10. doi: 10.3390/nu10070941.
119. Alsharif Hussein I. Ministry of Health of the Sultanate of Oman (2015). Personal communication with Dr. Izzeldin Alsharif Hussein for IGN. 2015.
120. Ministry of National Health Service, UNICEF. National Nutrition Survey 2018. Key findings report. Karachi:

- Ministry of National Health Service and UNICEF; 2018.
121. Anonymous. Palestine Micronutrient Survey 2013. Ministry of Health (Palestine), United Nations Children's Fund (UNICEF), University of Vienna; 2013.
 122. Anonymous. Monitoreo de los desórdenes por deficiencia de yodo en escolares de distritos centinelas. Sistema de vigilancia de los desórdenes por deficiencia de yodo en Panamá. Ministerio de Salud de Panamá; 2015.
 123. National Department of Health, United Nations Children's Fund, University of Papua New Guinea, Centers for Disease Control and Prevention. National nutrition survey Papua New Guinea 2005. *Pac J Med Sci*. 2011;8:54-9. (<https://ghdx.healthdata.org/record/papua-new-guinea-national-nutrition-survey-2005>, accessed 17 April 2021).
 124. MINSA Report Paraguay 2015. 2015.
 125. Vigilancia de yodo en niños de 6 a 13 años 2017 - 2018 [Iodine surveillance in children aged 6-13 years 2017 - 2018]. 2017-2018 (in Spanish) https://web.ins.gob.pe/sites/default/files/Archivos/cenan/van/sala_nutricional/sala_3/Informe%20Tecnico%20Vigilancia%20de%20Yodo%20en%20ni%C3%B1os%20de%206%20a%2013%20a%C3%B1os%202017-2018.pdf, accessed 19 June 2023).
 126. The Expanded National Nutrition Survey 2018. Manila: Department of Science and Technology -Food and Nutrition Research Institute (DOST-FNRI); 2019.
 127. Trofimiuk-Müldner M, Konopka J, Sokołowski G, Dubiel A, Kieć-Klimczak M, Kluczyński Ł et al. Current iodine nutrition status in Poland (2017): is the Polish model of obligatory iodine prophylaxis able to eliminate iodine deficiency in the population? *Public health nutrition*. 2020;23:2467–77. doi: 10.1017/s1368980020000403.
 128. Limbert E, Prazeres S, São Pedro M, Madureira D, Miranda A, Ribeiro M et al. Grupo de Estudos da Tiroide da Sociedade Portuguesa de Endocrinologia Diabetes e Metabolismo [Iodine intake in Portuguese school children]. *Acta Med Port*. 2012 (in Portuguese);21:29-36. (<https://www.ncbi.nlm.nih.gov/pubmed/22883246>, accessed 7 May 2021).
 129. Assessment of iodine deficiency disorders and monitoring their elimination in Qatar. Supreme Council of Health, State of Qatar, IGN, WHO; 2015.
 130. Iodine status assessment by urinary iodine concentration in Romania school aged children, 2015-2016, *Acta Endocrinologica*, vol XIV, Supplement 1, The 26th National Congress of the Romanian Society of Endocrinology. Sibiu, Romania; 2018.
 131. Gerasimov G. No national surveys in Russia, only regional ones. Most of population in Russia (SAC, WRA) are still iodine deficient mUIC <100 mcg/l, except few developed regions (Moscow, St. Petersburg, Tyumen). Personal communication with IGN. Feb 2020.
 132. National nutrition survey of women and children in Rwanda in 1996 [Final report]. Kigali, Rwanda: Ministère de la Santé, UNICEF, WHO; 1997.
 133. Land MA, Webster JL, Ma G, Li M, Su'a SAF, Leremia M et al. Salt intake and iodine status of women in Samoa. *Asia Pac J Clin Nutr*. 2016;25:142-9. doi: 10.6133/apjcn.2016.25.1.09.
 134. Al-Dakheel M, H. Haridi H, Al-Bashir B, Al-Shingiti A, Al-Shehri S, Gassem M et al. Prevalence of iodine deficiency disorders among school children in Saudi Arabia: results of a national iodine nutrition study *E Mediterr Health J*. 2016;22:301. doi: 10.26719/2016.22.5.301.
 135. Bani IA. The use of iodized salt and iodine deficiency disorders (IDD): The Saudi Arabian experience. *Life Sci J*. 2014;11. (http://www.lifesciencesite.com/ljsj/life1110/041_24114life111014_286_291.pdf, accessed 19 June 2023).
 136. Knowles J, Kupka R, Dumble S, Garrett GS, Pandav CS, Yadav K et al. Regression Analysis to Identify Factors Associated with Urinary Iodine Concentration at the Sub-National Level in India, Ghana, and Senegal. *Nutrients*. 2018;10. doi: 10.3390/nu10040516.
 137. UNICEF. National survey of the biological impact of universal salt iodization in the population of Serbia – Report. 2007.
 138. Baeriswyl V, Zimmermann M. Iodine sufficiency in children in the Seychelles. *IDD Newsletter*. 2021;49(2):14. (<https://ign.org/latest/newsletter/most-moroccan-children-now-have-enough-iodine/>, accessed 19 June 2023).
 139. Rohner F, Wirth JP, Woodruff BA, Chiwile F, Yankson H, Sesay F et al. Iodine status of women of reproductive age in sierra leone and its association with household coverage with adequately iodized salt. *Nutrients*. 2016;8:74. doi: 10.3390/nu8020074.
 140. 2013 Sierra Leone micronutrient survey. Freetown, Sierra Leone: Ministry of Health and Sanitation (Sierra Leone), UNICEF, Helen Keller International, and WHO; 2015.
 141. Kostalova L. Urinary iodine assessment in children in Slovakia [unpublished report]. 2003.
 142. Štimec M, Kobe H, Smole K, Kotnik P, Širca-Čampa A, Zupančič M et al. Adequate iodine intake of Slovenian adolescents is primarily attributed to excessive salt intake. *Nutr Res*. 2009;29:888-96. doi: 10.1016/j.nutres.2009.10.011.
 143. Kotnik P, Irca C, Ampa AS, Zupančič M, Smole K, Mis NF et al. Goiter prevalence and urinary iodine concentration in Slovenian adolescents. *Thyroid*. 2006;16:769-73. doi: 10.1089/thy.2006.16.769.
 144. Hapa RZ, Temple VJ. Status of iodine nutrition among school-age children (6-12 years) in Honiara Solomon

- Islands 2010:7 <https://victorjtemple.com/Status%20iodine%20nutrition%20Honiara%20Solomon%20Islands%20PJMS%20Vol%207%20No%201%20%202010.pdf>, accessed 19 June 2023).
145. Ministry of Health, The Federal Government of Somalia, Federal Member States Somaliland, UNICEF, Brandpro, GroundWork. Somalia micronutrient survey 2019. Mogadishu, Somalia: Ministry of Health; 2020.
 146. Charlton KE, Ware LJ, Baumgartner J, Cockeran M, Schutte AE, Naidoo N et al. Iodine status assessment in South African adults according to spot urinary iodine concentrations, prediction equations, and measured 24-h iodine excretion. *Nutrients*. 2018;10. doi: 10.3390/nu10060736.
 147. Charlton KE, Ware LJ, Baumgartner J, Cockeran M, Schutte AE, Naidoo N et al. How will South Africa's mandatory salt reduction policy affect its salt iodisation programme? A cross-sectional analysis from the WHO-SAGE Wave 2 Salt & Tobacco study. *BMJ Open*. 2018;8:e020404. doi: 10.1136/bmjopen-2017-020404.
 148. Medani AMMH, Elnour AA, Saeed AM. Goitre endémique au Soudan malgré les programmes permanents de contrôle des troubles dus à la carence en iode. *B World Health Organ*. 2011;89:121-6. doi: 10.2471/BLT.09.075002.
 149. Vila L, Donnay S, Arena J, Arrizabalaga JJ, Pineda J, Garcia-Fuentes E et al. Iodine status and thyroid function among Spanish schoolchildren aged 6-7 years: The Tirokid study. *Brit J Nutr*. 2016;115:1623-31. doi: 10.1017/S0007114516000660.
 150. Hussein I, Zimmerman MB. The 2018 national survey in Sudan reports women of reproductive age are overall iodine sufficient, but with strong regional disparities. *IDD Newsletter*. 2020;48:2-5. (<https://ign.org/latest/newsletter/sudan-breaks-through-against-idd/>, accessed 19 June 2023).
 151. Todd CH. Swaziland's iodine deficiency disorders control programme [consultancy report]. Mbabane, Swaziland: National Nutrition Council; 1998.
 152. Andersson M, Berg G, Eggertsen R, Filipsson H, Gramatkovski E, Hansson M et al. Adequate iodine nutrition in Sweden: a cross-sectional national study of urinary iodine concentration in school-age children. *Eur J Clin Nutr*. 2009;63:828-34. doi: 10.1038/ejcn.2008.46.
 153. Andersson M, Hunziker S, Fingerhut R, Zimmermann MB, Herter-Aeberli I. Effectiveness of increased salt iodine concentration on iodine status: trend analysis of cross-sectional national studies in Switzerland. *Eur J Nutr*. 2019;59:581-93. doi: 10.1007/s00394-019-01927-4.
 154. National micronutrient status survey in Tajikistan, 2016: results. Dushanbe: Ministry of Health and Social Protection of the Republic of Tajikistan, The World Bank, UNICEF; 2017.
 155. Assey VD, Peterson S, Kimboka S, Ngemera D, Mgoba C, Ruhiye DM et al. Tanzania national survey on iodine deficiency: Impact after twelve years of salt iodation. *BMC Public Health*. 2009;9:319. doi: 10.1186/1471-2458-9-319.
 156. Thailand national health examination survey (NHES) 2014-15. Thailand: Ministry of Public Health; 2015.
 157. Banhansupawat P, Bureau of Nutrition Department of Health, Ministry of Public Health. Iodine Deficiency Disorders Prevention and control program in Thailand. Personal communication with IGN. Mar 2021.
 158. Kuzmanovska S. Assessment of iodine and thyroid status of pregnant women. Iodine and thyroid status of population in Macedonia 2018 – monograph. [In Macedonian: Кузмановска С. Испитување на јодниот и тироидниот статус на бремени жени. Во: Каранфилски Б. (уред.). Јоден и тироиден статус на населението во Македонија 2018 – монографија. Скопје: Медицински факултет.]. 2020.
 159. Majstorov V, Miladinova D, Kuzmanovska S, Ittermann T, Pop Gjorcheva D, Vaskova O et al. Schoolchildren thyroid volume in North Macedonia: data from a national survey in an iodine-sufficient country. *J Endocrinol Invest*. 2020;43:1073–9. doi: 10.1007/s40618-020-01189-6.
 160. Democratic Republic of Timor-Leste. The Timor-Leste food and nutrition survey 2013 Dili, Timor-Leste; 2015.
 161. Evaluation de la lutte contre les troubles dus a la carence en iode en 2005 au Togo [Evaluation of the fight against the iodine deficiency disorders in Togo in 2005]. Lomé, Togo: Ministère de la Santé, Direction Generale de la Santé; 2006 (in French).
 162. Ntambwe KT. Elimination of IDD in Togo. *IDD Newsletter*. 2006;23:10-3. (<https://ign.org/latest/newsletter/adequate-iodine-could-have-helped-to-spare-many-children-from-thyroid-cancer/>, accessed 19 June 2023).
 163. El Ati J, Doggui R, Ben Rayana M, Nabli M, Lahmar L, Fourati A et al. Enquête nationale sur la prévalence des troubles liés à la carence en iode chez les enfants scolarisés âgés de 6 à 12 ans en Tunisie. Evaluation de la généralisation de l'iodation du sel entre 1996-2012. Tunis: NNTA/DSSB/UNICEF; 2015:69.
 164. Doggui R, El Ati-Hellal M, Traissac P, Lahmar L, El Ati J. Adequacy assessment of a universal salt iodization program two decades after its implementation: A national cross-sectional study of iodine status among school-age children in Tunisia. *Nutrients*. 2016;9:6. doi: 10.3390/nu9010006.
 165. Erdoğan MF, Ağbaht K, Altunsu T, Özbaş S, Yücesan F, Tezel B et al. Current iodine status in Turkey. *J Endocrinol Invest*. 2009;32:617-22. doi: 10.1007/BF03346519.
 166. Gerasimov G, van der Haar F, Lazarus J. Overview of iodine deficiency prevention strategies in the South-Eastern Europe and Central Asia Region: 2009–2016. *Clin Exp Thyroidol*. 2017;13:16-22. doi: 10.14341/ket9531.
 167. Olico O. Assessment of the success of Uganda's USI in the control of IDD after 10 years. Kampala, Uganda:

- Makerere University Institute of Public Health; 2005.
168. Tronko M, Kravchenko V, Bondar T. Study of iodine supply in the population of Ukraine within the framework of the steps project «Study of the prevalence of risk factors for non-infectious diseases» of the World Health Organization. *Endokrynologia*. 2022;27(3):203-13. doi: 10.31793/1680-1466.2022.27-3.203.
169. STEPS: prevalence of noncommunicable disease risk factors in Ukraine 2019.: Copenhagen: WHO Regional Office for Europe; 2020 (Licence: CC BY-NC-SA 3.0 IGO; <https://www.who.int/europe/publications/i/item/WHO-EURO-2020-1468-41218-56060>, accessed 1 June 2023).
170. Hussein I, Al Suwaidi H, Gerasimov G, Jooste P, Abdulbasit K, Azizi F et al. National iodine nutrition survey in the United Arab Emirates (UAE) - 2009. Joint ICCIDD/MOH, IDD survey Abu Dhabi. Abu Dhabi: ICCIDD, Ministry of Health of the United Arab Emirates; 2009.
171. Bates B, Collins D, Jones K, Page P, Roberts C, Steer T et al. National Diet and Nutrition Survey: Results from Years 9 and 11 (combined) of the Rolling Programme (2016/2017 - 2018/2019). *Public Health England*. 2020;8. (<https://www.gov.uk/government/statistics/ndns-results-from-years-9-to-11-2016-to-2017-and-2018-to-2019/ndns-results-from-years-9-to-11-combined-statistical-summary>, accessed 12 March 2023).
172. Herrick KA, Perrine CG, Aoki Y, Caldwell KL. Iodine status and consumption of key iodine sources in the U.S. population with special attention to reproductive age women. *Nutrients*. 2018;10. doi: 10.3390/nu10070874.
173. Servetto C, Rosas B, Da Rosa L, Bidegain E, López E, Pintos C et al. Encuesta de ioduria como control de la ingesta de yodo [Survey on urinary iodine as iodine intake control]. *Acta Bioquim Clin Latinoam*. 2017 (in Spanish);51: 575-9. (http://www.scielo.org.ar/scielo.php?script=sci_arttext&pid=S0325-29572017000400002&lang=pt, accessed 19 June 2023).
174. Rohner F, Nizamov F, Petry N, Yuldasheva F, Ismailov S, Wegmuller R et al. Household coverage with adequately iodized salt and iodine status of nonpregnant and pregnant women in Uzbekistan. *Thyroid*. 2020. doi: 10.1089/thy.2019.0788.
175. Ministry of Health (Government of Vanuatu), United Nations Children's Fund. United Nations Children's Fund. Vanuatu Multiple Indicator Cluster Survey, 2007. Port Vila: Ministry of Health; 2008.
176. Codling K, Quang NVP, Phong L, Phuong DH, Quang ND, Bégin F et al. The Rise and Fall of Universal Salt Iodization in Vietnam: Lessons Learned for Designing Sustainable Food Fortification Programs With a Public Health Impact. *Food Nutr Bull*. 2015;36:441-54. doi: 10.1177/0379572115616039.
177. Yemen national iodine deficiency survey 2015. Sana'a: Ministry of Public Health and Population [Republic of Yemen]; Ministry of Public Health and Population [Republic of Yemen], UNICEF, USAID, IGN; 2017.
178. Katongo C, Kabaghe C, Mubanga F, Siamusantu W. Prevalence of iodine deficiency among school children and access to iodized salt in Zambia. *Afr J Food Agric Nutr Dev*. 2017;17. doi: 10.18697/ajfand.80.16275.
179. Zimbabwe national micronutrient survey results, 2012. Harare, Zimbabwe: Ministry of Health and Child Care; 2015.